Safety Data Sheet

Better Chemistry. Better Business

ENEROX ACID SALT S 37 Revised: 4/7/15

IDENTIFICATION

Product Code: 2541040

Recommended use of the chemical and restrictions on use: Industrial applications

Hubbard-Hall Inc.

563 South Leonard Street Waterbury, CT 06708 Telephone: 203-756-5521 Fax number: 203-756-9017

Emergency Phone Number CHEMTREC: 1 (800) 424-9300 International: 1 (703) 527-3887

HAZARDS IDENTIFICATION

Hazard Category: Eye Damage/Irritation Hazard Category 1

Skin Corrosion/Irritation Hazard Category 1B

Acute Aquatic Toxicity-Category 3
Chronic Aquatic Toxicity- Category 3

Hazard Statements: Causes severe skin burns and eye damage.

Harmful to aquatic life with long lasting effects

Prevention: Wear rubber gloves, goggles and chemical protective clothing.

Wash skin thoroughly after handling. Avoid releases to the environment

Do not breath dusts or mists.

Response: If in eyes: Wash cautiously with water for several minutes. Remove contact lenses if present and easy to d

Immediately call poison center or doctor and explain the type of exposure to the chemical(s) and provide the

If on skin (or hair): Take off immediately all contaminated clothing Rinse skin with water/shower .

Specific treatment - refer to poison center or doctor for advice.

Wash contaminated clothing before reuse.

If inhailed: Remove person to fresh air and keep comfortable for breathing.

Storage: Store locked up.

Disposal: Dispose of contents/container in accordance with local, regional, national, or international regulations.

COMPOSITION INFORMATION

	Common Name And Synonyms	CAS No. and other Unique identifiers	Concentration %
Sulfamic Acid	-	5329-14-6	>70%
Ammonium Bifluoride	Ammonium hydrogen difluoride	1341-49-7	>20%

FIRST AID

After Inhalation:

If inhaled: Remove person to fresh air and keep comfortable for breathing. Get medical attention.

Administer artificial respiration if breathing has stopped.

After Skin Contact:

Quickly remove contaminated clothing. Rinse with flooding amounts of water for at least 15 minutes. After rinsing,

5 FIRE FIGHTING MEASURES

Suitable and Unsuitable extinguishing media:

Will not burn or support combustion. Use extinguishing media appropriate for surrounding

fire, such as water spray, dry chemical, foam or carbon dioxide.

Special protective equipment and precautions for firefighter

Wear chemical resistant protective equipment and self contained breathing apparatus

(SCBA).

ACCIDENTAL RELEASE MEASURES

Wear chemical goggle, gloves and face shield and protective clothing.

UN Number: 3260

UN Proper Shipping Name: CORROSIVE SOLID ACIDIC INORGANIC N.O.S.(AMMONIUM HYDROGEN FLUORIDE

SOLID & SULPHAMIC ACID),

Transport Hazard Class (es): 8
Packing Group: II
ERG: 154

15 REGULATORY INFORMATION

HMIS: Health: 3 Flammability: 0 Reactivity: 0

16 OTHER INFORMATION

Disclaimer: The information is based on our knowledge to date but does not constitute an assurance of product

properties and does not imply a legal contractual relationship.