

3/18/21

AQUAEASE® PL 714  
2053007

|



Sodium Metasilicate	Disodium Metasilicate	6834-92-0	<10%
Sodium Phosphate, Tribasic	TSP	10101-89-0	Approx 3.5%

Move to fresh air. If breathing is difficult, give oxygen. If breathing stops, provide artificial respiration. Do not use mouth-to-mouth method if victim inhaled the substance. Induce artificial respiration with the aid of a pocket mask equipped with a one way valve or other proper respiratory device. Call a physician or poison control center immediately.

Take off immediately all contaminated clothing. Wash off IMMEDIATELY with plenty of water for at least 15-20 minutes. Get medical attention immediately! Wash clothing separately before reuse. Destroy or thoroughly clean all contaminated shoes.

Immediately flush with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do so. Continue rinsing. Call a physician or poison control center immediately.

Call a physician or poison control center immediately. Do not induce vomiting. Immediately rinse mouth and drink plenty of water. If vomiting occurs, keep head low so that the stomach content doesn't get into the lungs. Never give anything by mouth to an unconscious person. Do not use mouth-to-mouth method if victim ingested the substance.

Severe eye and or skin irritation or burns.

Provide general supportive measures and treat symptomatically. Symptoms may be delayed. Keep victim under observation.

Emergency personnel should protect against secondary contamination.

Water fog. Foam. Dry Chemical powder. Carbon Dioxide (CO2). Use extinguishing agent suitable for type of surrounding fire. Do not use solid water stream as it may scatter and spread fire. Do not use halogenated extinguishing agents.

Sodium oxides, silicon oxides

Fire fighters should enter area only if they are protected from all contact with the material. Full protective clothing, including self-contained breathing apparatus, coat, pants, gloves, boots and bands around legs, arms, and waist, should be worn. No skin surfaces should be exposed.

Prevent spilled product from drains, sewers, waterways and soil.

Wear appropriate chemical protection equipment such as gloves, face-shield, goggles and suitable body protection to prevent contamination of skin, eyes and personal clothing.

If trained in accordance 29 CFR 1910.120, leaks should be stopped. Spills should be contained and cleaned immediately. Persons performing clean up work should wear adequate personal protective equipment and clothing. Spills and releases should be reported, if required, to the appropriate local, state and federal regulatory agencies.

Use caution when combining with water. DO NOT add water to Caustic. ALWAYS add caustic to water while stirring to minimize heat generation. Do not get in eyes, skin or on clothing. Do not taste or swallow. Do not breath vapor or mist. Use only with adequate ventilation. Wear appropriate personal protective equipment. Transfer and storage systems should be compatible and corrosion resistant. Observe good industrial hygiene practices.

Keep container tightly closed.

Store in cool dry place.

Store away from incompatible materials. ( See section 10).

Do not allow material to freeze.

Store in corrosive resistant container.

Sodium Metasilicate	not established		
Sodium Phosphate, Tribasic	not established		

Local exhaust is required to remove mist.

Rubber gloves

Wear chemical safety goggles with face shield.

Wear chemical resistant apron.

Yellow Liquid

Mild odor

N/A

(5% solution) <-12

N/A

N/A

N/A

N/A

N/A

N/A

N/A

N/A

N/A

Complete in water

No Proposition 65 listed components in this formula

All components of this product are on the TSCA inventory or are exempt from TSCA inventory requirements .

No            or                            are contained in this product.

The information is based on our knowledge to date but does not constitute an assurance of product properties and does not imply a legal contractual relationship.

9/2/14