

~1.25

Complete in water

N/A

N/A

N/A

N/A

Stable

Extremely reactive. Avoid contact with metal surfaces and oxidizing agents.

Alkylies. Arsenic trioxide and sodium nitrate: spontaneously combustible mixture. Methyl isocyanacetate: may decompose explosively at 25 degrees

Sulfur Oxides may be formed. These are toxic and corrosive and are oxidizers. Sulfur trioxide is also a fire hazard. The loss of these gases leaves a caustic residue.

Aluminum Sulfate LD50(Rat)-1930 mg/kg

Iron (II) Sulfate Pentahydrate - LD50 (Mouse) - 1520 mg/kg

Not established for this product

Not established for this product

Irritation or burns to skin, eyes and respiratory system

Severe irritation or burns to skin, eyes and respiratory system

Not listed by IARC, NTP, OSHA, ACGIH

Eyes, Skin, Inhalation, Ingestion

Not Available

No data available

No data available

Pronounced solubility and mobility

Dispose of in accordance with local, state and federal regulations.

3264

CORROSIVE LIQUID,ACIDIC,INORGANIC,NOS(ALUMINUM SULFATE)

The information is based on our knowledge to date but does not constitute an assurance of product properties and does not imply a legal contractual relationship.