

7/20/21

AQUAEASE® SLA 3000  
2052003

Industrial applications





Absorb the chemical onto sand, vermiculite, or any other non-combustible absorbent, and collect into containers for later disposal.

Avoid breathing dust, fumes, gas, mist, vapors and sprays.

Wash hands thoroughly after handling.

Do not get in eyes, or on skin, or on clothing.

Keep container tightly closed.

Do not allow material to freeze.

Store in corrosive resistant container.

|                               |                 |                                       |   |
|-------------------------------|-----------------|---------------------------------------|---|
|                               |                 |                                       |   |
| Methanesulfonic Acid          | Not established |                                       | - |
| Diethylene Glycol Butyl Ether | ACGIH           | 10 ppm (Inhalable fraction and vapor) | - |

Use local exhaust to keep personal exposures below the OSHA Permissible Exposure Limit (s) (PEL) or the ACGIH threshold Limit Values (TLV) Time Weight Average (TWA).

Not required if proper ventilation controls are employed.

Acid resistant rubber.

Wear chemical safety goggles.

Clear tan colored liquid

pleasant odor

N/A

1-2 (10% solution)

N/A

N/A

N/A

N/A

N/A

N/A

N/A

N/A

1.0293

Complete in water

N/A

N/A

N/A

N/A

No specific test data related to reactivity available to this product or its ingredients.

Stable under normal conditions

Corrosive in presence of steel

Reacts violently with strong bases. Contact with metals may release flammable hydrogen gas.

Extreme humidity, excess heat.

Metals, strong oxidizing agents and strong bases. Do not mix with solutions containing bleach or ammonia.

Carbon Dioxide, Carbon Monoxide

Methanesulfonic acid-LD50(Rat)-649 mg/kg

Diethylene Glycol Butyl Ether-LD50(rat)-3305 mg/kg

Methanesulfonic acid LD50(Rabbit)->1000 mg/kg

Diethylene Glycol Butyl Ether, LD50 (rabbit)-2764 mg/kg

Irritation or burns to skin, eyes and respiratory system

Not listed by IARC, NTP, OSHA, ACGIH

Eyes, Skin, Inhalation, Ingestion

no data available

Not Available

Not known

Pronounced solubility and mobility

Not known

***Dispose of in accordance with local, state and federal regulations.***

3265

CORROSIVE LIQUID,ACIDIC,ORGANIC, NOS(ALKANE SULFONIC ACID)

8

II

153

Diethylene Glycol Butyl Ether-SARA 313 listed (Glycol Ether)

No Proposition 65 listed components in this formula

All components of this product are on the TSCA inventory or are exempt from TSCA inventory requirements .

The information is based on our knowledge to date but does not constitute an assurance of product properties and does not imply a legal contractual relationship.