Better Chemistry. Better Business

# **AQUAEASE® SL 916**

7/26/21

 Product Name:
 AQUAEASE® SL 916

 Product Code :2052001
 Recommended use of the chemical and restrictions on use:Alkaline Liquid Cleaner

563 South Leonard Street Waterbury, CT 06708 : 203-756-5521 203-756-9017

Emergency Phone Number 1 (800) 424-9300 1 (703) 527-3887



	▼
Signal Word:	DANGER
Hazard Category:	Acute Toxicity-Oral Hazard Category 4
	Skin Corrosion/Irritation Hazard Category 1A
	Eye Damage/Irritation Hazard Category 1
	Acute Aquatic Toxicity-Category 3
	Corrosive to Metals Hazard Category 1
Hazard Statements:	Harmful if swallowed.
	Causes severe skin burns and eye damage.
	May be corrosive to metals.
	Harmful to aquatic life
Prevention:	Do not eat, drink, or smoke when using this product.
	Wash skin thoroughly after handling.
	Wear protective gloves, chemical protective clothing, eye protective goggles and face
	shield for face protection.
	Avoid releases to the environment
	Do not breath dusts or mists.
_	Keep only in original container.
Response:	Take off contaminated clothing and wash it before reuse.
	If on skin or hair: Take off immediately all contaminated clothing. Rinse skin with
	water/shower. Get medical attention.

If inhaled: Remove person to fresh air and keep comfortable for breathing . Get medical attention.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. Get immediate medical attention.

Immediately call poison center or doctor and explain the type of exposure to the

chemical(s) and provide the name of the chemical(s).

Specific treatment - refer to poison center or doctor for advice.

Absorb spillage to prevent material damage .

Wash contaminated clothing before reuse.

Rinse Mouth.

If swallowed: Rinse mouth. Do NOT induce vomiting.

## Storage: Store locked up.

Store in corrosive resistant high density polyethylene container.

**Disposal:** Dispose of contents/container in accordance with local, regional, national, or international regulations.

Chemical Name	Common Name And Synonyms	CAS No. and other Unique identifiers	Concentration %
Potassium Hydroxide	Potash	1310-58-3	<70%

## After Inhalation:

If inhaled: Remove person to fresh air and keep comfortable for breathing. Get medical attention.

### After Skin Contact:

If on skin immediately wash with plenty of water. Get medical attention.

### After Eye Contact:

Do not allow victim to rub or keep eyes tightly shut. Gently lift eyelids and flush immediately and continuously with flooding amounts of water until transported to an emergency medical facility. Consult a physician immediately.

#### After Ingestion:

Call a physician or poison control center immediately. Do not induce vomiting. Immediately rinse mouth and drink plenty of water. If vomiting occurs, keep head low so that the stomach content doesn't get into the lungs. Never give anything by mouth to an unconscious person. Do not use mouth-to-mouth method if victim ingested the substance. Immediately call poison center or doctor and explain the type of exposure to the chemical(s) and provide the name of the chemical(s).

### Most Important Symptoms/Effects

### Eye:

Severe eye and or skin irritation or burns.

### Delayed:

Severe eye and or skin irritation or burns.

# Indication of immediate medical attention:

Severe eye and or skin irritation or burns.

Specific hazards arising from the chemical:	Heat and fire may result in the release of corrosive fumes.
Special protective equipment and precautions for firefighter	Wear chemical resistant protective equipment and self contained breathing apparatus (SCBA).
Personal Precautions, Protective Equipment, & Emergency Proc	Wear appropriate chemical protection equipment such as gloves, face-shield, goggles and suitable body protection to prevent contamination of skin, eyes and personal clothing.
Methods and Materials for containment & cleaning up:	Stop leak if possible without risk.
	If trained in accordance 29 CFR 1910.120, leaks should be stopped. Spills should be contained and cleaned immediately. Persons performing clean up work should wear adequate personal protective equipment and clothing. Spills and releases should be reported, if required, to the appropriate local, state and federal regulatory agencies.
Precautions for safe handling:	Avoid breathing dust, fumes, gas, mist, vapors and sprays.
	Do not get in eyes, or on skin, or on clothing.
	Eating, drinking and smoking in the work area is prohibited.
	Use ventilation sufficient to keep personal exposure below the OSHA Permissible Exposure Limits (PEL) and or the ACGIH Threshold Limit Value (TLV) Time Weighted Average (TWA) exposure limits.
	Wash hands thoroughly after handling.
	Wear rubber protective gloves, chemical protective clothing, eye protective goggles and face shield for face protection.
	Speed of removing product from skin is of primary importance. Once in contact, wash off with water immediately.
Conditions for safe storage, inc any incompatibilities:	Keep container tightly closed.
	Store in cool dry place.
	Store locked up.
	Store away from incompatible materials. (See section 10).
	Store in corrosive resistant container.
	Do not allow material to freeze.

Name	Std.	TWA-8hrs	STEL - 15 min.
Potassium Hydroxide	ACGIH	2 mg/m3	-

ACGIH - American Control of Governmental Hygenists

**OSHA - Occupational Safety and Health Administration** 

**Respiratory Protection:** 

A respiratory protection program that meets OSHA 29 CFR 1910.134 and ANSI 788.2 or applicable federal requirements must be followed whenever work place conditions warrant respirator use. NIOSH's Respirator Decision Logic" may be useful in determining the suitability of various types of respirators.

	Not required if proper ventilation controls are employed.
Special:	N/A
Other Protective Equipment:	Rubber aprons, safety shoes and similar protective clothing.
Appearance:	Clear liquid with slight tint
Odor:	Sweet odor
PH:	Above 14
Melting Point/Freezing Point:	N/A
Initial Boiling Point and Boiling	N/A

Range:	
Flash Point:	None
Evaporation Rate:	N/A
Flammability (solid, gas):	Non flammable
Upper/Lower flammability or explosive limits:	N/A
Vapor Pressure:	N/A
Vapor Density:	Unknown
Relative Density:	N/A
Solubility (ies):	Complete in water
Auto-ignition Temperature:	N/A
Decomposition Temperature:	N/A
Viscosity:	N/A

Chemical Stability: Conditions to Avoid: Stable under normal conditions

Reacts violently with strong acids. This product may react with oxidizing agents. Do not mix with other chemicals. Corrosive to aluminum, tin, zinc, copper and most alloys in which they are present including brass and bronze. Corrosive to steels at elevated temperatures above 40 °C.

Incompatible Materials:

Soil/Sediment Result: Other adverse effects(such as hazardous to the ozone layer): Pronounced solubility and mobility Not known

Dispose of in accordance with local, state and federal regulations.

UN Number:	1814
UN Proper Shipping Name:	POTASSIUM HYDROXIDE, SOLUTION,
Transport Hazard Class (es):	8
Packing Group:	II
ERG:	154
	N/A