

# Safety Data Sheet

Better Chemistry. Better Business

**AQUAEASE SL 170**

6/13/23

**Product Name:** AQUAEASE SL 170

**Product Code :**2052118

**Recommended use of the chemical and restrictions on use:**Alkaline Liquid Cleaner

563 South Leonard Street

Waterbury, CT 06708

: 203-756-5521

203-756-9017

Emergency Phone Number

1 (800) 424-9300

1 (703) 527-3887



**Signal Word:** DANGER

**Hazard Category:** Acute Toxicity-Oral Hazard Category 4

Skin Corrosion/Irritation Hazard Category 1B

Eye Damage/Irritation Hazard Category 1

Corrosive to Metals Hazard Category 1

**Hazard Statements:** Harmful if swallowed.

Causes severe skin burns and eye damage.

May be corrosive to metals.

**Prevention:** Do not eat, drink, or smoke when using this product.

Wash skin thoroughly after handling.

Wear protective gloves, chemical protective clothing, eye protective goggles and face shield for face protection.

Do not breath dusts or mists.

Keep only in original container.

**Response:** If swallowed: Rinse mouth. Do NOT induce vomiting.

If on skin (or hair): Take off immediately all contaminated clothing Rinse skin with water/shower .

Wash contaminated clothing before reuse.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call poison center or doctor and explain the type of exposure to the chemical(s) and provide the name of the chemical(s).

Specific treatment - refer to poison center or doctor for advice.

If inhaled: Remove person to fresh air and keep comfortable for breathing.

Absorb spillage to prevent material damage.

**Storage:** Store locked up.

Store in corrosive resistant high density polyethylene container.

**Disposal:** Dispose of contents/container in accordance with local, regional, national, or international regulations.


**Special protective equipment and precautions for firefighter**

Wear chemical resistant protective equipment and self contained breathing apparatus (SCBA).

**Personal Precautions, Protective Equipment, & Emergency Proc**

Wear appropriate chemical protection equipment such as gloves, face-shield, goggles and suitable body protection to prevent contamination of skin, eyes and personal clothing.

**Methods and Materials for containment & cleaning up:**

Stop leak if possible without risk.

If trained in accordance 29 CFR 1910.120, leaks should be stopped. Spills should be contained and cleaned immediately. Persons performing clean up work should wear adequate personal protective equipment and clothing. Spills and releases should be reported, if required, to the appropriate local, state and federal regulatory agencies.

**Special:** N/A

**Other Protective  
Equipment:** Rubber aprons, safety shoes and similar protective clothing.

**Dispose of in accordance with local, state and federal regulations.**

**UN Number:** 3266  
**UN Proper Shipping Name:** CORROSIVE LIQUID,BASIC<INORGANIC,NOS(POTASSIUM HTDROXIDE,SODIUM SILICATE)  
**Transport Hazard Class (es):** 8  
**Packing Group:** II  
**ERG:** 154  
**Marine Pollutant(Y/N):** N/A

**HMIS: Health: 3 Flammability: 0 Reactivity: 1**

**Cercla** Potassium Hydroxide-RQ=1000 lbs

**Sara Hazard Classification** Nonyl Phenols- SARA 313 listed

**Proposition 65** No Proposition 65 listed components in this formula

**TSCA Inventory Status** All components of this product are on the TSCA inventory or are exempt from TSCA inventory requirements .

**REACH status** 4-Nonylphenol Ethoxylated- On REACH list

**Disclaimer:** The information is based on our knowledge to date but does not constitute an assurance of product properties and does not imply a legal contractual relationship.

**Date Prepared:** 11/12/14