

3/18/21

AQUAEASE® PL 24
2053015

Alkaline Liquid Cleaner



Severe eye and or skin irritation or burns.

Provide general supportive measures and treat symptomatically. Symptoms may be delayed. Keep victim under observation.

Will not burn or support combustion. Use extinguishing media appropriate for surrounding fire, such as water spray, dry chemical, foam or carbon dioxide.

Heat and fire may result in the release of corrosive fumes.

Wear chemical resistant protective equipment and self contained breathing apparatus (SCBA).

Wear appropriate chemical protection equipment such as gloves, face-shield, goggles and suitable body protection to prevent contamination of skin, eyes and personal clothing.

Stop leak if possible without risk.

If trained in accordance 29 CFR 1910.120, leaks should be stopped. Spills should be contained and cleaned immediately. Persons performing clean up work should wear adequate personal protective equipment and clothing. Spills and releases should be reported, if required, to the appropriate local, state and federal regulatory agencies.

Avoid breathing dust, fumes, gas, mist, vapors and sprays.

Do not get in eyes, or on skin, or on clothing.

Eating, drinking and smoking in the work area is prohibited.

Use ventilation sufficient to keep personal exposure below the OSHA Permissible Exposure Limits (PEL) and or the ACGIH Threshold Limit Value (TLV) Time Weighted Average (TWA) exposure limits.

Wash hands thoroughly after handling.

Wear rubber protective gloves, chemical protective clothing, eye protective goggles and face shield for face protection.

Speed of removing product from skin is of primary importance. Once in contact, wash off with water immediately.

Keep container tightly closed.

Store in cool dry place.

Store locked up.

Store away from incompatible materials. (See section 10).

Store in corrosive resistant container.

Potassium Hydroxide	ACGIH	2 mg/m3	-
Nitriiotriacetic Acid Trisodium Salt Monohydrate	not established	-	-
Sodium Nitrite	not established	-	-

A respiratory protection program that meets OSHA 29 CFR 1910.134 and ANSI 788.2 or applicable federal requirements must be followed whenever work place conditions warrant respirator use. NIOSH's Respirator Decision Logic" may be useful in determining the suitability of various types of respirators.

Not required if proper ventilation controls are employed.

N/A

Rubber aprons, safety shoes and similar protective clothing.

Yellow Liquid

Detergent Odor

14

N/A

N/A

None

N/A

Non flammable

N/A

N/A

Unknown

1.200

Complete in water

N/A

N/A

N/A

Stable under normal conditions

Contact with incompatible materials

Avoid contact with aluminum, tin, zinc, halogenated solvents, and strong oxidizers and acids.

Avoid contact with organics.

not known

Potassium Hydroxide - Rat LD50 = 273 mg/kg.

