

3/18/21

AQUAEASE® S 982  
2002008

Alkaline Cleaner

|

563 South Leona Street  
Suite 6  
35655  
356

Deen Home Use  
3  
353



o o e to eta a a ate o  
S n o o on tat on a a ate o  
e a a e tat on a a ate o  
S e a et an o t S n e o u e a a ate o 3  
a e o o e to eta  
a u e e e n u n an e e a a e  
a a u e e ato tat on  
ee on no na on tane  
o not eath u t o t  
a h n th o u h a t e h a n n  
e on out oo o n e ent ate a ea  
ea o t e t e o e h e a o t e t e o t h n e e o t e t e o e a n a e  
h e o a e o t e t o n  
a o e n e outh o n u e o t n  
on n o h a a e o e ate a on t a n a t e o t h n n e n t h  
ate h o e  
n h a e e o e e on t o e h a a n e e o o t a e o e a t h n  
n e e n e a u t o u t h a t e o e e a n u t e e o e o n t a t e n e  
e ent an ea to o on t n u e n n

e ate a o on ente o o to an e an the t e o e o u e to the  
 he a an o e the na e o the he a  
 S e t eat ent ee to o on ente o o to o a e  
 o a e to e ent ate a a a e  
 a h onta nate oth n e o e eu e  
 Sto e o e u  
 Sto e n o o e e tant h h en t o eth ene ontane  
 o e o ontent ontane na o ane th o a e ona natona o  
 nte natona e u at on

Sodium Metasilicate	Disodium Metasilicate	6834-92-0	Approx 10%
Sodium Carbonate	Soda Ash	497-19-8	Approx 85%
Octylphenol Ethoxylate	Polyethylene Glycol Octylphenol ether	9002-93-1	Approx 2%

Move to fresh air. If breathing is difficult, give oxygen. If breathing stops, provide artificial respiration. Do not use mouth-to-mouth method if victim inhaled the substance. Induce artificial respiration with the aid of a pocket mask equipped with a one way valve or other proper respiratory device. Call a physician or poison control center immediately.

Take off immediately all contaminated clothing. Wash off IMMEDIATELY with plenty of water for at least 15-20 minutes. Get medical attention immediately! Wash clothing separately before reuse. Destroy or thoroughly clean all contaminated shoes.

Immediately flush with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do so. Continue rinsing. Call a physician or poison control center immediately.

If swallowed: Rinse mouth. Call a doctor.

In case of fire: Use water, foam, chemical extinguisher or carbon dioxide.

Sodium oxides, silicon oxides

Wear chemical resistant protective equipment and self contained breathing apparatus (SCBA).

Wear appropriate chemical protection equipment such as gloves, face-shield, goggles and suitable body protection to prevent contamination of skin, eyes and personal clothing.

If trained in accordance 29 CFR 1910.120, leaks should be stopped. Spills should be contained and cleaned immediately. Persons performing clean up work should wear adequate personal protective equipment and clothing. Spills and releases should be reported, if required, to the appropriate local, state and federal regulatory agencies.

Wear rubber protective gloves, chemical protective clothing, eye protective goggles and face shield for face protection.

Store in well ventilated place. Keep container tightly closed.

Sodium Metasilicate	not established		
Sodium Carbonate	not established		
Octylphenol ethoxylate	not established		

Local exhaust is required to remove mist.

A respiratory protection program that meets OSHA 29 CFR 1910.134 and ANSI 788.2 or applicable federal requirements must be followed whenever work place conditions warrant respirator use. NIOSH's Respirator Decision Logic" may be useful in determining the suitability of various types of respirators.

Rubber gloves

Wear chemical safety goggles with face shield.

Off-white to brownish granular mixture

Mild odor

N/A

>12.5

N/A

N/A

N/A

N/A

N/A

N/A

N/A

N/A

N/A

Complete in water

N/A

N/A

N/A

N/A

Low

Extremely high temperatures

Strong acids, Lead, Tin/tin oxides, Zinc, Aluminum

not known

Sodium Metasilicate-(Rat-male and female) LD50- 1152-1349 mg/kg

Not established for this product

Irritation or burns to skin, eyes and respiratory system

Burning sensation, Cough, wheezing, laryngitis, Shortness of breath, spasm, inflammation and edema of the larynx,

spasm, inflammation and edema of the bronchi, pneumonitis, pulmonary edema, Material is extremely destructive to

tissue of the mucous membranes and upper respiratory tract, eyes, and skin.

Not listed by IARC, NTP, OSHA, ACGIH

Eyes, Skin, Inhalation, Ingestion

Not Available

No data available

No data available

No data available

Disperses in water.

Pronounced solubility and mobility

***Dispose of in accordance with local, state and federal regulations.***

1759  
CORROSIVE SOLIDS,NOS(DISODIUM TRIOXOSILICATE)  
8  
III  
154  
N/A

na

The chemicals in this product are not subject to SARA Title III , Section 313 Reporting Requirements.

No Proposition 65 listed components in this formula

All components of this product are on the TSCA inventory or are exempt from TSCA inventory requirements .

No or are contained in this product.

The information is based on our knowledge to date but does not constitute an assurance of product properties and does not imply a legal contractual relationship.

9/2/14