Safety Data Sheet

Better Chemistry. Better Business

ENEROX NICKEL ADDITIVE S 11

Revised: 4/21/15

IDENTIFICATION

Product Code: 2850009

Recommended use of the chemical and restrictions on use: Industrial applications

Hubbard-Hall Inc.

563 South Leonard Street Waterbury, CT 06708 Telephone: 203-756-5521 Fax number: 203-756-9017

Emergency Phone Number CHEMTREC: 1 (800) 424-9300 International: 1 (703) 527-3887

2 HAZARDS IDENTIFICATION

Hazard Category: Not a hazardous substance or mixture

Hazard Statements: Not a hazardous substance or mixture. Material intended for Industrial use. Refer to SDS for safe use and

Prevention: Keep this product from contamination by making sure that no other products are introduced once drum is c Response: IN CASE OF FIRE: ALCOHOL FOAM, CO2, DRY CHEMICAL EXTINGUISHER SHOULD BE USED. FIRE Disposal: Once container is emptied, check with local, state, or federal authorities to be sure it is suitable for recondit

Components with Unknown Oral = 100% Dermal = 100%

Acute Toxicity

3 COMPOSITION INFORMATION

	Common Name And Synonyms	CAS No. and other Unique identifiers	Concentration %
No hazardous ingredients			

FIRST AID

After Skin Contact:

If on skin: Wash with plenty of water.

After Eye Contact:

If in eyes: wash with plenty of water and get medical attention if burned or irritated.

After Ingestion:

If swallowed: Immediately call poison center or doctor. This product contains Potassium and Sodium Chlorides.

Most Important Symptoms/Effects

Eye:

Irritation of eyes and skin.

FIRE FIGHTING MEASURES

Suitable and Unsuitable extinguishing media:

Will not burn or support combustion. Use extinguishing media appropriate for surrounding

fire, such as water spray, dry chemical, foam or carbon dioxide.

Specific hazards arising from

the chemical:

The product itself does not burn. May decompose upon heating to produce corrosive

and/or toxic fumes. Contact with metal may release flammable hydrogen gas.

Special protective equipment and precautions for firefighter

Wear chemical resistant protective equipment and self contained breathing apparatus

(SCBA).

na

ACCIDENTAL RELEASE MEASURES

Personal Precautions,

Protective Equipment, &

Emergency Proc

Sweep up and return to container

Methods and Materials for

containment & cleaning up:

HANDLING AND STORAGE

Precautions for safe handling: Keep container tightly closed.

Conditions for safe storage, inc any incompatibilities:

Store in cool dry place.

8 EXPOSURE CONTROLS / PERSONAL PROTECTION

Name	Std.	TWA-8hrs	STEL - 15 min.
No hazardous ingredients			

ACGIH - American Control of Governmental Hygenists OSHA - Occupational Safety and Health Administration

Protective Gloves: Thermal resistant leather

Eye Protection: Wear chemical safety goggles with face shield.

PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Clear colorless liquid

Odor: Mild odor
Odor Threshold: N/A

PH: 7.0-8.5 (1% solution)

Melting Point/Freezing Point: N/A

Initial Boiling Point and Boiling

N/A

Range:

Flash Point: N/A
Evaporation Rate: N/A
Flammability (solid, gas): N/A

Upper/Lower flammability or

explosive limits: Vapor Pressure:

N/A

Vapor Density:

N/A

Relative Density:

1.10-1.20

N/A

Solubility (ies):

Complete in water

Partition Coefficient;

N/A

n-octanol/water:

N/A Auto-ignition Temperature: Decomposition Temperature: N/A N/A Viscosity:

10 STABILITY AND REACTIVITY

Contact with incompatible materials when use in molten state. Conditions to Avoid:

Incompatible Materials: When in use in molten state material is incompatible with all chemicals except other heat

transfer salts.

11n