

Sodium Hydroxide	Caustic Soda	1310-73-2	30-40%
Sodium Nitrate		7631-99-4	<10%

Move to fresh air. If breathing is difficult, give oxygen. If breathing stops, provide artificial respiration. Do not use mouth-to-mouth method if victim inhaled the substance. Induce artificial respiration with the aid of a pocket mask equipped with a one way valve or other proper respiratory device. Call a physician or poison control center immediately.

Take off immediately all contaminated clothing. Wash off IMMEDIATELY with plenty of water for at least 15-20 minutes. Get medical attention immediately! Wash clothing separately before reuse. Destroy or thoroughly clean all contaminated shoes.

Immediately flush with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do so. Continue rinsing. Call a physician or poison control center immediately.

Call a physician or poison control center immediately. Do not induce vomiting. Immediately rinse mouth and drink plenty of water. If vomiting occurs, keep head low so that the stomach content doesn't get into the lungs. Never give anything by mouth to an unconscious person. Do not use mouth-to-mouth method if victim ingested the substance.

Burning pain and severe corrosive skin damage. Permanent eye damage including blindness could result. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Shortness of breath.

Provide general supportive measures and treat symptomatically. Symptoms may be delayed. Keep victim under observation.

Emergency personnel should protect against secondary contamination.

Water fog. Foam. Dry Chemical powder. Carbon Dioxide (CO₂). Use extinguishing agent suitable for type of surrounding fire. Do not use solid water stream as it may scatter and spread fire. Do not use halogenated extinguishing agents.

The product itself does not burn. May decompose upon heating to produce corrosive and/or toxic fumes. Contact with metal may release flammable hydrogen gas.

Turbid violet viscous liquid

No odor

N/A

10% Aqueous solution = 12+

N/A

250-255 °F

N/A

N/A

N/A

N/A

N/A

N/A

1.39 - 1.41

Complete in water

N/A

N/A

N/A

N/A

Contact with metal may release flammable hydrogen gas.

Stable under normal conditions

Hazardous polymerization does not occur.

Reacts violently with strong acids. This product may react with oxidizing agents. Do not mix with other chemicals. Corrosive to aluminum, tin, zinc, copper and most alloys in which they are present including brass and bronze. Corrosive to steels at elevated temperatures above 40 °C.

Avoid contact with aluminum, tin, zinc, halogenated solvents, and strong oxidizers and acids. Rv0 137T W

Reactivity:

Dispose of in accordance with local, state and federal regulations.

3266

CORROSIVE LIQUIDS, BASIC, INORGANIC, N.O.S., (SODIUM HYDROXIDE),

8

II

154

2000 lb RQ (Caustic 50%)

SARA 302 - Extremely Hazardous Substances; None present

SARA Hazard Categories: Immediate Hazard:Yes Delayed Hazard:Yes Fire Hazard-No Pressure
Hazard-No Reactivity Hazard-yes

No or are contained in this product.

The information is based on our knowledge to date but does not constitute an assurance of product properties and does not imply a legal contractual relationship.

8/8/14