

AQUAPURE™ QUICK DROP 651
2601128

Wastewater Treatment



Wear chemical resistant protective equipment and self contained breathing apparatus (SCBA).

Stop spill at source.

Caution: Spilled material may be slippery.

Wash hands thoroughly after handling.

Wear rubber gloves, goggles and chemical protective clothing.

Eating, drinking and smoking in the work area is prohibited.

Use NIOSH/MSHA respirators approved for silica bearing dust when free silica containing airborne bentonite dust levels exceed PEL/TLV's. Clean up spills promptly to avoid making dust. Avoid breathing dust. Avoid creating dusty conditions. Quartz silica can become airborne without visible dust cloud.

Keep container tightly closed.

Silica Quartz	ACGIH	0.025 mg/m3 (Respirable dust)	-

Ensure ventilation is adequate. Use approved industrial ventilation and local exhaust as required to maintain exposures below applicable exposure limits. Emissions from ventilation should be checked to ensure they comply with the requirements of environmental protection legislation. Keep containers tightly closed when not in use. Use good industrial hygiene and safety practice.

Rubber gloves

Wear safety glasses with side shields, safety goggles, or full face shield to protect against

Non flammable

N/A

N/A

N/A

2.45-2.55

Insoluble, forms colloidal suspension

N/A

N/A

N/A

N/A

Hazardous Polymerization will not occur.

Stable under normal conditions

Hazardous polymerization does not occur.

None Known

not known

The chemicals in this product are not subject to SARA Title III , Section 313 Reporting Requirements.

WARNING! This product contains a chemical or chemicals known to the state of California to cause cancer-Silica,crystalline

All components of this product are on the TSCA inventory or are exempt from TSCA inventory requirements .

The information is based on our knowledge to date but does not constitute an assurance of product properties and does not imply a legal contractual relationship.