

10/15/2020

COPPERBRITE NI  
2380010

Industrial applications









Severe irritation or burns to skin, eyes and respiratory system  
Long term exposure to concentrated vapors may cause erosion of the teeth. Long term exposure seldom due to corrosive properties of the acid.  
IARC group 1-Carcinogenic to Humans(Strong inorganic mists containing Sulfuric acid),ACGIH-A2-Suspected Human Carcinogen.  
Eyes, Skin, Inhalation, Ingestion

Sulfuric Acid,LC50-48 h-49 mg/L  
Sulfuric Acid-EC50,48 h-60-70 mg/L  
Not Available

Unlikely  
Disperses in water.  
No data available

***Dispose of in accordance with local, state and federal regulations.***

3264  
CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.(FERRIC SULFATE, SULFURIC ACID),  
8  
II  
154

Sulfuric Acid-RQ=1000 lbs  
Ferric Sulfate-RQ-1000 lbs  
Sulfuric Acid-Subject to reporting levels established by SARA Title III,Section 313

No Proposition 65 listed components in this formula  
All components of this product are on the TSCA inventory or are exempt from TSCA inventory requirements .

No or are contained in this product.

The information is based on our knowledge to date but does not constitute an assurance of product properties and does not imply a legal contractual relationship.

10/8/14