Safety Data Sheet

Better Chemistry. Better Business 7/13/2016 QUICK DROP 30 Revised: **IDENTIFICATION** 1 Product Name: QUICK DROP 30 Product Code: 2601088 Recommended use of the chemical and restrictions on use: Industrial applications Hubbard-Hall Inc. 563 South Leonard Street Waterbury, CT 06708 Telephone : 203-756-5521 Fax number: 203-756-9017 **Emergency Phone Number** CHEMTREC: 1 (800) 424-9300 International: 1 (703) 527-3887 HAZARDS IDENTIFICATION 2 Signal Word: DANGER Hazard Category: Skin Corrosion/Irritation Hazard Category 2 Eye Damage/Irritation Hazard Category 2B Carcinogenicity Hazard Category 1A Specific Target Organ Toxicity (Repeated Exposure) Hazard Category 1 Hazard Statements: Causes skin irritation. Causes eye irritation. May cause cancer. Causes damage to lung. Prevention: Wash skin thoroughly after handling. Wear rubber gloves, goggles and chemical protective clothing. Obtain special instruction before use. Do not handle until all safety precautions have been read and understood. Do not eat, drink or smoke when using this product. Do not breathe dust, fumes, gas, mist, vapors or spray. Response: If on skin: Wash with plenty of water. Specific treatment - refer to poison center or doctor for advice.

If skin irritation occurs: Get Medical advice/attention.

Take off contaminated clothing and wash it before reuse.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical attention .

If exposed or concerned: Get medical advice/attention.

Get medical advice/attention if you feel unwell.

Components with Unknown Oral = 100% Dermal = 100% Acute Toxicity

3 COMPOSITION INFORMATION

Chemical Name	Common Name And Synonyms	CAS No. and other Unique identifiers	Concentration %
Silica Quartz	Silica Flour	14808-60-7	>1%

4 FIRST AID

After Inhalation:

If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention immediately.

After Skin Contact:

If on skin(on hair): Take off immediately all contaminated clothing. Rinse with water/safety shower. Call doctor if irritation persists.

After Eye Contact:

If in eyes: Rinse cautiously for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. If irritated, call doctor.

Most Important Symptoms/Effects

Inhalation:

Affects respiration and irritates respiratory tract. Acute pneumooconiosis from overwhelming exposure to silica dust has occured. Coughing and iritation of throat are early symptons. Inhalation of quartz is classified as a human carcinogen. Risk of cancer depends on duration. May also affect liver.

Eye:

Irritation of eyes and skin.

Skin:

This product can cause mild, transient skin irritation. The severity of irritation will depend on the amount of material that is applied to the skin and the speed and thoroughness that it is removed. Symptons include redness, itching, and burning of the skin. Repeated or prolonged skin contact can produce moderate irritation(dermatitis).

Chronic:

Chronic exposure can also cause silicosis, a form of lung scarring that can cause shortness of breath, reduced lung function. May also affect blood.

Indication of immediate medical attention:

Provide general supportive measures and treat symptomatically. Symptons may be delayed. Keep victim under observation.

Note to Physicians:

Inhalation may increase the progression of tuberculosis; susceptibility is apparently not increased. Persons with impaired respiratory function may be more susceptible to the effects of the substance. Smoking greatly increases the risk of lung injury. Material is irritating to the mucous membranes and upper respiratory tract.

5 FIRE FIGHTING MEASURES

Suitable and Unsuitable extinguishing media:	Will not burn or support combustion. Use extinguishing media appropriate for surrounding fire, such as water spray, dry chemical, foam or carbon dioxide.
Specific hazards arising from the chemical:	Carbon oxides may be produced.
Special protective equipment and precautions for firefighter	Wear chemical resistant protective equipment and self contained breathing apparatus (SCBA).

6 ACCIDENTAL RELEASE MEASURES

Methods and Materials for	Stop spill at source.
containment & cleaning up:	

Caution: Spilled material may be slippery.

7 HANDLING AND STORAGE

inc any incompatibilities:

Precautions for safe handling:	Wash hands thoroughly after handling.
	Wear rubber gloves, goggles and chemical protective clothing.
	Eating, drinking and smoking in the work area is prohibited.
	Use NIOSH/MSHA respirators approved for silica bearing dust when free silica containing airborn bentonite dust levels exceed PEL/TLV's. Clean up spills promptly to avois making dust. Avoid breathing dust. Avoid creating dusty conditions. arts can become airborn without visible dust cloud.
Conditions for safe storage,	Keep container tightly closed.

8 EXPOSURE CONTROLS / PERSONAL PROTECTION

Name	Std.	TWA-8hrs	STEL - 15 min.
Silica Quartz	ACGIH	0.1 mg/m3 (Respirable fraction)	-

ACGIH - American Control of Governmental Hygenists OSHA - Occupational Safety and Health Administration

Protective Gloves: Rubber gloves

Eye Protection: Wear chemical safety goggles.

9 PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Gray powder
Odor:	No odor
Odor Threshold:	N/A
PH:	4.5-6.5 (5% aqueous suspension)
Melting Point/Freezing Point:	N/A
Initial Boiling Point and Boiling Range:	N/A
Flash Point:	None
Evaporation Rate:	N/A
Flammability (solid, gas):	Non flammable
Upper/Lower flammability or explosive limits:	N/A
Vapor Pressure:	N/A
Vapor Density:	N/A
Relative Density:	1.0-1.2
Solubility (ies):	slightly soluble, forms flocculated suspension
Partition Coefficient; n-octanol/water:	N/A
Auto-ignition Temperature:	N/A

Decomposition Temperature:	N/A
Viscosity:	N/A

10 STABILITY AND REACTIVITY

Reactivity:	Hazardous Polymerization will not occur.
Chemical Stability:	Stable under normal conditions
Possibility of Hazardous	Hazardous polymerization does not occur.
Reactions:	
Incompatible Materials:	Avoid contact with strong oxidizers and strong acids.

11 TOXICOLOGICAL INFORMATION

Oral Administration:	Not established for this product
Dermal administration:	Not established for this product
Immediate effects:	Irritation/ burns of skin and eyes.
Immediate effects:	Breathing silica dust may cause irritation of the nose, throat, and respiratory passages. Breathing silica dusts may not cause noticeable injury or illness even though lung damage may be occurring. Inhalation of dust may also have serious chrnic health effects (silicosis).
Cancer Hazard:	Silica Quartz-IARC Group I -carcinogenic to humans, ACGIH Class 2A-suspected human carcinogen

12 ECOLOGICAL INFORMATION

Persistence and	Not Available
Degradability:	
Biotic degradability:	No data avaiilable
Bioaccumulation potential:	Unlikely
Water result:	Disperses in water.
Soil/Sediment Result:	No data avaiilable

13 DISPOSAL CONSIDERATION

Dispose of in accordance with local, state and federal regulations.

14 TRANSPORT INFORMATION

UN Proper Shipping Name: NOT D.O.T. REGULATED

15 REGULATORY INFORMATION

- HMIS: Health: 2 Flammability: 0 Reactivity: 0
- Sara HazardSARA Title III Section 311 Categories: Immediate (Acute) Health Effects: Yes, Delayed (Chronic)ClassificationHealth Effects: No, Fire Hazard: No, Sudden Release of Pressure Hazard: No, Recativity Hazard:
No

16 OTHER INFORMATION

Disclaimer: The information is based on our knowledge to date but does not constitute an assurance of product properties and does not imply a legal contractual relationship.