

10/1/2020

SCREEN CLEANER 6001
2708015

Industrial applications



Ethylene Glycol Butyl Ether	-	111-76-2	~30%
Dimethyl Glutarate	-	1119-40-0	35-40%
Dimethyl Adipate	-	627-93-0	10-15%
Nonylphenol, ethoxylated	-	127087-87-0	<5%

If on skin(on hair): Take off immediately all contaminated clothing²

If trained in accordance 29 CFR 1910.120, leaks should be stopped. Spills should be contained and cleaned immediately. Persons performing clean up work should wear adequate personal protective equipment and clothing. Spills and releases should be reported, if required, to the appropriate local, state and federal regulatory agencies.

Wash hands thoroughly after handling.

Wear rubber gloves, goggles and chemical protective clothing.

Eating, drinking and smoking in the work area is prohibited.

Do not allow material to freeze.

Ethylene Glycol Butyl Ether	ACGIH	20 ppm (skin)	-
Dimethyl Glutarate	Not established		
Dimethyl Adipate	Not established		
Nonylphenol, ethoxylated	Not established		

Rubber gloves

Wear chemical safety goggles.

White mobile liquid.

lemon odor

N/A

4-7

N/A

N/A

212 °F

N/A

Non flammable

0.9-8.0

<8 mm Hg based on components

N/A

1.09

Dispersible

N/A

N/A

N/A

N/A

30.24% of 1.09 g/ml

Hazardous Polymerization will not occur.

Stable under normal conditions

Hazardous polymerization does not occur.

Avoid contact with strong oxidizers and strong acids .

Ethylene Glycol monobutyl ether-LD50(Rat)-1300 mg/kg

Dimethyl Glutarate LD50(Rat)->5000 mg/L

Dimethyl Adipate LD50(Rat)->5000 mg/kg

Nonylphenol, ethoxylated-LD50(Rat)-3314 mg/kg

Dimethyl Glutarate LC50(Rat)-> 11 mg/L

Dimethyl Adipate LC50(Rat)-> 11 mg/L

Ethylene Glycol monobutyl Ether-LD50(Rabbit)-0.45 ml/kg 24 h

Dimethyl Glutarate-LD50(Rabbit)->2000 mg/kg

Dimethyl Adipate LD50(Rabbit)->2000 mg/kg

Nonylphenol, ethoxylated LD50(Rabbit)->3000 mg/kg

Irritation/ burns of skin and eyes.

Ethylene Glycol Monobutyl Ether-Group 3-Not classifiable as to carcinogenicity to humans.

ACGIH:Group A3-Confirmed animal carcinogen with unknown relevance to humans.

Eyes, Skin, Inhalation, Ingestion

Dimethyl Glutarate EC50- >112 mg/L 48 h

Dimethyl Adipate EC50 - 112-150 mg/L 48 h

Will biodegrade readily

No data available

Unlikely

Disperses in water.

No data available

Dispose of in accordance with local, state and federal regulations.

NOT D.O.T. REGULATED

No Proposition 65 listed components in this formula

All components of this product are on the TSCA inventory or are exempt from TSCA inventory requirements .

The information is based on our knowledge to date but does not constitute an assurance of product properties and does not imply a legal contractual relationship.